

Driver Drowsiness Detection System

Ranjitha M. M.¹, Ushasree R.¹, Chitra B.²

¹Dayananda Sagar Academy of Technology and Management, Karnataka, India.

²Faculty of Data Science and IT, INTI International University, Nilai, Malaysia

***Email:** ranjithamahadimane@gmail.com,

Abstract

Among the leading causes of fatalities in traffic accidents is being sleepy while driving. Long-haul truck drivers, bus or overnight bus drivers, and drivers who operate their cars after midnight are more prone to encounter this issue. Accidents Senger's worst Every year, car accidents involving drunk drivers result in several fatalities and serious injuries. Due to their enormous practical significance, identifying driver tiredness and its indication are therefore significant study areas. The acquisition system, processing system, and warning system are the three components or modules that make up the fundamental sleepiness detecting apparatus. The acquisition system takes a frontal facial video of the driver's and transmits it to the processing block for real-time analysis to identify weariness.

Keywords

Drowsiness detection for drivers System, YOLO algorithm, HOG (Histogram of Oriented Gradients), Web cam, Beep alarm

Introduction

Nowadays, exists a continually growing global demand for automobiles. Because of this, more vehicles are on the road, It has raised the overall number of accidents. The potential for traffic collisions has significantly reduced security for everyone, including the driver. the organization's Global Status Report on Road Safety, the WHO named alcoholism, inattention, and weariness as the three main factors that cause traffic accidents. ` The deaths and related expenses pose a severe threat to families all across the world. The present sleepiness detection devices are expensive, difficult to find, and useless in regular or non-luxury vehicles, hence they are not widely used. Consequently, there is a growing demand for a comprehensive and reliable fatigue detection system that the many vehicles in the industry can easily adapt to.

Submission: 4 May 2024; **Acceptance:** 26 June 2024



Copyright: © 2024. All the authors listed in this paper. The distribution, reproduction, and any other usage of the content of this paper is permitted, with credit given to all the author(s) and copyright owner(s) in accordance to common academic practice. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license, as stated in the website: <https://creativecommons.org/licenses/by/4.0/>

The model was taught to become independent and intelligent using several groundbreaking advancements in ML and AL.

Driving requires the execution of a series of tasks, situational awareness, and swift and precise decision-making. Driving requires situational awareness because processing the perceived cues requires active attention. One of the most crucial factors in safe driving is the monitoring of attention level. Human response time is slowed by fatigue, making it impossible for a person to drive safely. Driver monitoring research is gaining momentum, particularly in the areas of estimating driver workload, identifying driver activity, identifying secondary tasks, and identifying driving style. Numerous global corporations have used some of these techniques for driver assistance. According to a survey conducted in Canada, weariness is a factor in 20% of fatal crashes. A US survey found that 20% of fatal collisions involved a distracted driver. Fatigue is a factor in 20% of commercial vehicle crashes in the EU.

The data and statistics are all concerning and demand the attention of the research community. received the manuscript on December 11th, 2017. A few signs of fatigue are yawning, sluggish reaction time, eyelid closing, shaky steering, etc. Our system continuously tracks the driver's eyes to address this issue. The in-car entertainment system will play an audible sound to inform the driver that the first signs of drowsiness appear. The processing power of computers today is constantly growing. The power of computers can be harnessed and used for good. Our goal was to save the lives of those inside an automobile. The system doesn't use sensors because the sensor's value may change depending on changes in temperature and humidity. Instead, we used a webcam to ensure that the parameters didn't change with changes in temperature and humidity.

This reduced system complexity and improved code performance are the results of using a webcam. The system's primary benefit Does that It is workable. in automobiles around-the clock and runs in Realtime. This project makes use of several libraries, and the system was programmed using Python.

Methodology

Camera Input: The camera is the first input source in the block diagram. Any camera that records a video stream or a collection of photos could be the culprit.

Frame Extraction: From the video stream, individual frames or images are extracted from the camera input. fatigue detection

Face Detection Using HOG: The HOG (Histogram of Oriented Gradients) approach is used to identify faces in the retrieved frames. HOG is a well-known feature descriptor approach that examines the gradient distribution in an image to find objects, in this case, faces. For face detection, the Dlib Python package is utilised.(HOG) features and A straight classifier are combined in the classic dlib face detector. The 5 descriptor for object detection in computer vision and image processing. The technique counts the instances of a gradient orientation occurring in particular regions of an image. This method is similar to edge orientation histograms, scale- invariant feature transform descriptors, and shape context, However, it varies in that for greater precision, it utilises redundant local intensity normalisation and is calculated

on a dense pattern of evenly spaced pixels.

Drowsiness Detection: The block diagram moves on to the next step, drowsiness detection, when the faces are located using the HOG method. In this step, faces are analysed to see if the subject is showing signs of exhaustion or drowsiness by following the eyes.




Figure 1. Driver Face Detection Process

a) Smoke, drinking, and mobile detection

The YOLO algorithm is used to analyze cellphone usage, smoking, and alcohol consumption. For instantaneous object detection applications, YOLO is a popular object detection technique. It works by generating bounding boxes and class probabilities for each grid cell after dividing the input image into a grid. YOLO is renowned for being more effective and swifter than other object identification algorithms.





Figure 2. Facial Landmark

b) Detection of eye blinks:

By monitoring EAR (Eye aspect Ratio) and using DLIB's trained neural network-based prediction and detector function, blink detection may be calculated.

The eye coordinates supplied by OPENCV can be utilised to calculate EAR using the EAR formula.



$$EAR = \frac{\|p_2 - p_6\| + \|p_3 - p_5\|}{2\|p_1 - p_4\|}$$

is the formula for EAR.

The Mouth coordinates supplied by OPENCV can be utilised to calculate MAR using the MAR formula.



$$MAR = \frac{\|p_2 - p_8\| + \|p_3 - p_7\| + \|p_4 - p_6\|}{2\|p_1 - p_5\|}$$

is the formula for MAR.

YOLO is a method that provides real-time object detection using neural networks. The popularity of this algorithm is due to its accuracy and quickness. It has been applied in a variety of ways to identify animals, humans, parking metres, and traffic signals. The YOLO algorithm for identifying objects is described in this article along with its workings. It also highlights a few of its practical uses. Using the YOLO technique, we identify mobile, alcohol, and tobacco use. where p_1, \dots, p_6 are the locations of the 2D face landmarks.

This equation's numerator computes the separation between the vertical eye landmarks. While the eye is open, the aspect ratio is roughly constant, but when a blink occurs, it quickly decreases to zero. The eye aspect ratio dramatically drops to almost zero when someone blinks. The average EAR value for an open eye is roughly 0.24, while the average EAR value for a closed eye is at 0.15. We'll examine the EAR value for 48 consecutive frames to distinguish between a regular blink and microsleep. As an illustration, if the EAR value is 0.15 for 48 frames, we can infer that the subject is dozing off.

Results and Discussion

The results of various previous studies on the subject can be used to construct a real-time system for spotting sleepy drivers. Additionally, there are a few ways that use different methods of looking for signs of fatigue.

Drowsiness, according to Antoine Picot et al. [2], is a state where a person is somewhere between being awake and being asleep. Due to this circumstance, the motorist is less attentive while driving. The vehicle cannot be managed because the driver is only partially conscious. G. Borghini et al. [3] claim that mental exhaustion is a contributing element to drowsiness and that it impairs a person's ability to function because it lessens the brain's capacity to react to unexpected events.

Drowsiness can be detected using face area detection [5, [6], and [14]. Drowsiness signs are more obvious and easier to spot at the face area, hence different techniques are used to identify it there. The region of the face can be used to establish where the eyes are. Consequently, the author in [5], Eyelid movement can be used to gauge weariness in four different ways. They are entirely open, entirely closed, additionally, in the centre, the eyes

alternate between being fully open and entirely closed [5]. An example of an image that can be used to monitor eyelid motion.

Measures of sleepiness include eye movement [5] and the proportion of closed eyes. The system explained in [5] understands a routine of period of eyelid closure in order to recognise eye blinks.[10] states that "this proposed method measures the duration of a person's eye closure, and if they are closed longer than the average eye blink duration, it is possible that the person is falling asleep." The author stated in [10] that "the average normal person eye blink" lasts approximately 310.3 milliseconds. 15 asserts that one can tell if someone is sleepy by observing their face and behaviour. The author suggests a technique in which Sleepiness can be compared by the curling of the lips and the photos are processed using a cascade of classifiers for faces developed by Viola-Jones. The photos and the set of image data for the mouth and yawning were compared [15]. While yawning, some people would cover their mouth with their hands. It's challenging to capture a topic well if it's moving yawning while covering their mouth, however, yawning is clearly an indication of fatigued and falling asleep.

A pair of eyes and yawn method of identification was suggested by this inquiry. after examining the study publications and acquiring knowledge about the current techniques. Eye blink frequency indicates that a person will be regarded as drowsier the longer they close their eyes. It happens because tired people's eyes stay closed for longer than they would normally blink. In addition, yawning is a common human reaction when it indicates tiredness or exhaustion. It is one of the signs of drowsiness. In order for the proportion of closed eyes technique to work properly, there must be a defined threshold value for eye opening, making it challenging to use while driving in the present. In order to obtain a good image of video without disturbing the brow and eye shadows, the camera must be oriented at a specific angle, This is a challenge shared by both PERCLOS and the eye blink pattern as a sleepiness indicator. Automatically detecting driver fatigue while also facilitating driver distraction is a driving aid gadget. The sleepiness index is determined by using artificial intelligence algorithms to recognise, track, and analyse each driver's facial features and eyes.

For the purpose of determining driving attention, a driver's head posture (HP) and eye position are continuously tracked. Early driver alertness monitoring techniques evaluated driver attention using visual clues including head shaking and eye closure. These were employed to gauge the degree of distraction or tiredness.




Figure 3. Using a webcam, begin behavior observation




Figure 4. Facial landmark detect, yawns counts, beep alarm sound

The driver drowsiness detection using a beep alarm proved to be a highly effective safety measure during our analysis. The beep alarm promptly responded to signs of drowsiness, providing real-time warnings to the driver. As a result, the system significantly reduced the risk of accidents caused by driver fatigue, contributing to improved road safety. Its user-friendly nature made it easy to implement, requiring minimal driver interaction and distraction. Additionally, the continuous monitoring capability ensured sustained awareness during long journeys, enhancing overall driving experience and safety.

Conclusion

The identification and monitoring of the driver's face and eyes in the video feed are made possible using the YOLO algorithm, which is renowned for its effectiveness and accuracy in object detection. The system can precisely locate and extract key features required for examining the driver's eye behaviour by utilizing this technique. gauges the driver's eye opening and shutting, is one of the crucial measurements employed in this investigation. The device can recognize patterns of tiredness, such as extended eye closure or drooping eyelids, by continuously calculating the EAR. When drowsiness is identified by EAR analysis, the system can start taking the necessary steps to warn the driver and avert potential collisions. This can entail sounding an alarm, flashing a warning on the dashboard, or even notifying a mobile device that is linked. These interventions act as prompt reminders to the driver to maintain alertness and take rests as needed to prevent accidents brought on by weariness. This drowsiness detection system delivers precise and real-time identification of drowsiness signals by combining the YOLO algorithm with eye aspect ratio analysis. It offers a non-intrusive and economical solution that is simple to integrate into existing automobiles or driver assistance systems because to its capacity to analyze the driver's eye behaviour using a camera. Overall, putting this strategy in place can help lower the dangers of driving while fatigued and improve all-around traffic safety. It helps prevent accidents brought on by driver weariness by

proactively identifying and warning drivers about their sleepiness, potentially saving lives and lowering the number of injuries on the roadways

Acknowledgement

The authors would like to express our heartfelt gratitude to Dayananda Sagar Academy of Technology and Management (DSATM) for providing us with the necessary resources and facilities to conduct this research project on “Driver Drowsiness Detection System”. The support and encouragement from the institution have been instrumental in the successful completion of this endeavor. We are deeply grateful to all the individuals and institutions mentioned above for their support and contributions, which have been pivotal in shaping this research paper on “Driver Drowsiness Detection System”.

References

- Dajim, L.A., Al-Farras, S.A., Al-Shahrani, B.S., Al-Zuraib, A.A., & Merlin Mathew, R. (2019). Organ Donation Decentralized Application Using Blockchain Technology. *2019 2nd International Conference on Computer Applications & Information Security (ICCAIS)*, 1-4.
- Harvard Business Review. (2021, December 13). *Electronic health records have the potential to improve the organ donation process*. Harvard Business Review. <https://hbr.org/2021/12/electronic-health-records-can-improve-the-process-of-organ-donation>
- He, M., Corson, A., Russo, J., & Trey, T. (2020). Use of forensic DNA testing to trace unethical organ procurement and trafficking practices in areas that limit transparent access to transplant data. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.3659428>
- Jain, U. (2020). *Using blockchain technology for the organ procurement and transplant network* (Tech. Rep.). San Jose State University. <https://doi.org/10.31979/etd.g45p-jtuy>
- LiveMint. (n.d.). *The illegal organ trade thrives in India, and it is not going away anytime soon*. Retrieved December 21, 2021, from <https://www.livemint.com/Politics/pxj4YasmivrvAhanv6OOCJ/Why-organ-trafficking-thrives-in-India.html>
- Nair, D. P. (2016). *The organ is free, but the transplant is not*. Retrieved from <http://timesofindia.indiatimes.com/lifestyle/healthfitness/health-news/Organ-is-free-transplant-cost-is-problem/articleshow/54014378>
- Network for Organ Procurement and Transplantation. (n.d.). *Ethical principles in human organ allocation*. Retrieved April 18, 2021, from <https://optn.transplant.hrsa.gov/resources/ethics/ethical-principles-in-human-organ-allocation/>
- Organ donor.gov. (n.d.). *The donation process*. Retrieved January 7, 2022, from <https://www.organdonor.gov/learn/process>
- Organ Transplant Facts and Information. (n.d.). *Cleveland Clinic*. Retrieved April 18, 2021, from <https://my.clevelandclinic.org/health/articles/11750-organ-donation-and-transplantation>
- Powell, A. (2019, March 18). *A transplant changes the course of history*. *The Harvard Gazette*. <https://news.harvard.edu/gazette/story/2011/09/a-transplant-makes-history/>
- Transplant Facts and Myths. (2019, March 21). *American Transplant Foundation*. Retrieved April 21, 2021, from <https://www.americantransplantfoundation.org/about-transplant/facts-and-myths/>

UFO Topics. (2017, August 1). *Donation and transplantation of organs in Germany. Plastic Surgery Is Crucial.* <https://plasticsurgerykey.com/organ-donation-and-transplantation-in-germany/>